CCTV

KIT

WIKIT004S02NB

WI-FI KIT, NVR, 4 BULLET IPC 2MP, HDD 1TB

SMART SERIE

The Wi-Fi kit consists of 1 x art. WINVR009S02NB and 4 x art. WIBCAMS02FB. Power supply units provided. For technical specifications please refer to the relevant technical sheets

CCTV

KIT

WIKIT004S02NB

WI-FI KIT, NVR, 4 BULLET IPC 2MP, HDD 1TB

PRODUCTS IN THE KIT

WIBCAMS02FBSP **BULLET WI-FI CAMERA 2MP, 3.6MM**

Day & Night colour Wi-Fi IP bullet camera, 3.6 mm fixed lens, FULL-HD resolution (1080p) @15 ips, IP66 waterproof enclosure, 2 infrared lights with a range of 25 metres (Smart IR) for kit art. WIKIT004S02NB. Power supply unit provided.

MAIN FEATURES	
Camera sensor	1/2.7'' CMOS
Lens optical dimensions (mm)	3.6
Electronic shutter (s)	1/25÷1/10000
Sensitivity	0 (led IR ON)
Signal/noise ratio (dB)	>52 (AGC OFF)
IR filter	Mechanical
Video resolution	1920x1080 (Full-HD 1080p)

SOFTWARE/FIRMWARE SPECIFICATIONS	
Video compression	H.264 / H.264+ / H.265 / H.265+
Frame rate	15fps
Protocols supported	802.11b/g/n (Wi-Fi, 2.4GHz), RTCP, RTP, RTSP, TCP/IP

FUNCTIONS	
Motion detection	Yes
Privacy zones (n°)	3
Back light compensation (BLC)	BLC
Digital effects	Anti-flicker (50/60Hz), Defog
Wide Dinamic Range (WDR)	D-WDR (50dB)
White balance control	Automatic
Display brightness control	Yes

The technical specifications are subject to change without prior notice.

CCTV

KIT

WIKIT004S02NB

WI-FI KIT, NVR, 4 BULLET IPC 2MP, HDD 1TB

HARDWARE SPECIFICATIONS	
IR LED lighting distance	2 led 42µ / 25m (Smart IR)
Wall support	Included
IP protection rating	IP66
3-axis adjustment	Yes

GENERAL DATA	
Supply voltage	12VDC
Max absorption (W)	6
Type of power supply	External power supply
Height (mm)	75
Width (mm)	77
Depth (mm)	170
Product weight (g)	770
Type of finishing materials	Die-cast aluminum
Housing type	Bullet
Product color	Black and white
Operating temperature (°C)	-10 ÷ 50
Operating humidity (RH max) (%)	25 ÷ 95
Supplied accessories	Power supply

The technical specifications are subject to change without prior notice.

CCTV

KIT

WIKIT004S02NB

WI-FI KIT, NVR, 4 BULLET IPC 2MP, HDD 1TB

WINVR009S02NBSP **WI-FI NVR, 9CH, 2MP, HDD 1TB SPARE PART**

Wi-Fi network video recorder (NVR) for 9 IP inputs 5MP / 3MP / FULL-HD (1080p) / HD (960p/720p), ONVIF 2.4 compatible.

MAIN FEATURES	
Video inputs	9 (5MP, Wi-Fi)
Main video output	1 (VGA), 1 (HDMI), 1920x1080
Audio Inputs/Outputs	- / 1 (mini-jack)
Video compression	H.264 / H.264+ / H.265 / H.265+ (128÷8192 kbps)
Playback / recording frame rate	9 (5MP / 4MP / 3MP / FULL-HD / HD) @25fps
HDD supplied size	1TB (8TB max)

SOFTWARE/FIRMWARE SPECIFICATIONS	
Operating system	Linux embedded
Recording methods	Auto, manual, scheduled, motion
Maximum number of channels being played simultaneously	1 (5MP / 4MP@30fps), 2 (3MP@30fps), 4 (FULL-HD / HD@30fps)
Protocols supported	802.11b/g/n (Wi-Fi, 2.4GHz), DDNS, Comelit DNS, DHCP, FTP, HTTP, NTP, ONVIF 2.4, RTCP, RTP, RTSP, SMTP, TCP/IP, UPnP, P2P
IP assignment	Manual, DHCP
Max bandwidth (Mbps)	60
Remote control via browser	Internet Explorer
Remote control by software	Comelit Smart CMS
Remote control by mobile	app Comelit View Smart (Android, iOS)

FUNCTIONS	
Motion detection	396
Digital effects	D-Zoom, OSD
E-mail notification	Yes

The technical specifications are subject to change without prior notice.

WIKIT004S02NB

WI-FI KIT, NVR, 4 BULLET IPC 2MP, HDD 1TB

HARDWARE SPECIFICATIONS	
Type of connections/ports	1xEthernet 10/100 Mbit/s, 1xUSB 2.0

GENERAL DATA	
Power supply voltage (VDC)	12
Height (mm)	40
Width (mm)	219
Depth (mm)	217
Product weight (g)	3000
Type of finishing materials	Metallic
Product color	Black
Operating temperature (°C)	-10 ÷ 55
Operating humidity (RH max) (%)	25 ÷ 90
Supplied accessories	Power supply
System backup	USB 2.0

The technical specifications are subject to change without prior notice.

CCTV

KIT

WIKIT004S02NB

WI-FI KIT, NVR, 4 BULLET IPC 2MP, HDD 1TB

43500B **Video surveillance area sign, Italian**

GENERAL DATA	
Height (mm)	150
Width (mm)	200
Depth (mm)	2
Product weight (g)	40
Type of finishing materials	Steel
Product color	White

The technical specifications are subject to change without prior notice.